



SKU: SL-AAB-4X6-3W-3K













The Aaban Stair Light is a modern lighting solution designed to enhance the aesthetic of your home while ensuring safety on stairs and in dark areas. Made from durable aluminum, it features embedded LEDs with three light modes: warm white, natural white, and white, and offers a motion sensing range of 1-3 meters at a 120° angle. With an operational life of 50,000 hours and options for manual or sensor operation, this versatile light is perfect for wall mounting in various settings, providing both style and functionality.

0

Product Specifications

L4.3" (11cm) x H5.9" (15cm)
L3.9" (10cm) x H7.9" (20cm)
3W (330lm)
1.8" (4.5cm)
0.21 Kg
0.35 Kg
Aluminum

Finish	White
Light Source	Integrated LED
Bulb Included	Yes
Dimmable	Upon Request
Voltage	90-260VAC
Installation Type	Wall Mount
Certifications	UL, CCC, CE, CQC, EMC, FCC, GS, LVD, PSE, ROHS, SAA, VDE



Page 2 of 5 Page 2 of 5

SKU: SL-AAB-4X6-3W-3K



① Details

- 1. Mounting Types: Available in trimless, recessed, semi-recessed, surface-mounted, and track-mounted formats.
- 2. Ceiling Compatibility: Designed for drywall ceilings; some may be compatible with concrete or drop ceilings.
- 3. Dimming: Many designs are dimmable with compatible drivers and wall dimmers.
- 4. Power Source: All models are hardwired and connect directly to a ceiling electrical junction.
- 5. Trim Integration: Trimless downlights may require professional finishing.
- 6. Track Compatibility: Track-mounted options require compatible rail systems.

№ Tools Needed

- Drill
- · Keyhole or drywall saw
- Screwdriver
- Voltage tester
- Wire stripper
- Wire nuts
- · Screws and wall anchors
- Level
- Measuring tape or pencil

② Installation Steps

Step 1: Identify Your Power Type

Ensure you know whether your installation will require a manual switch or a sensor for operation.

- Determine power source
- Select installation type

Step 2: Turn Off Power

At the breaker panel, shut off power to the installation circuit. Use a voltage tester to confirm that no current is present before starting.

- · Locate the breaker panel
- Use a voltage tester to ensure safety

Step 3: Prepare the Ceiling Opening (Recessed & Trimless Only)

If the fixture requires a ceiling cutout, use the provided template to mark your opening. Cut carefully with a drywall saw or hole cutter.

- · Mark the opening
- · Cut with drywall saw

Step 4: Install Mounting Hardware or Fixture Housing

Insert the housing into the ceiling cavity and secure it with spring clips or fasteners.

- · Secure with spring clips
- Attach surface-mounted fixtures with screws

Step 5: Connect the Wiring

Match the fixture wires to the ceiling wires and secure each connection with wire nuts.

- Black to black (live)
- White to white (neutral)
- · Green or bare to ground

Step 6: Final Assembly

Complete the installation by securing the fixture into place and ensuring a seamless finish.

• Finish trimless fixtures




SKU: SL-AAB-4X6-3W-3K



Details

Cut Out: Length:2.8"(7cm) Height:4.7"(12cm) Depth:1.8"(4.5cm)



Rs

Page 4 of 5 Page 4 of 5

SKU: SL-AAB-4X6-3W-3K



Details

Cut Out: Length:1.6"(4cm) Height:6.4"(16.2cm) Depth:1.8"(4.5cm) 4"(10cm) 0000000000000000 00000000000000000 8"(20cm) 00000 0000 00000 00000 00000 00000 4.9"(12.4cm) 00000 00000 00000 00000 00000 00000 00000 1.6"(4cm)



Page 5 of 5 Page 5 of 5