



SKU: C-VTG-VB-1-D













The Brass Dimmer Switch is a premium, heritage-inspired lighting control solution that transforms your lighting experience with its solid brass construction and tactile design. Featuring a knurled texture reminiscent of vintage audio equipment, this dimmer provides a smooth, fluid dimming experience without skips or jerks. Easy to install in as little as five minutes, it is compatible with most LED and incandescent bulbs, making it a stylish and functional addition to any home.

### 0

## **Product Specifications**

Input Voltage	120VAC		1-Gang
Max Current	150W LED / 250W Incandescent Per Switch	(US) Certifications	UL Listed (US & Canada)
Protocol	Triac / Leading Edge Dimmable		

Page 2 of 6 Page 2 of 6



SKU: C-VTG-VB-1-D



### ① Details

1. Product Includes: Brass plate, diamond-cut dimmer knob, and mounting accessories.

#### Tools Needed

- Screwdriver
- Wire stripper

## Installation Steps

#### **Step 1: Identify Your Power Type**

Before starting, ensure you know how to safely turn off the power to your switch.

- Circuit breaker
- Fuse box

#### Step 2: Turn Off Power

Make sure to turn off the power to the switch at your home's circuit breaker or fuse box to ensure your safety.

#### Step 3: Remove the Old Cover Plate

Use your screwdriver to remove the screws holding the old cover plate in place. Gently take off the cover plate and set it aside.

#### Step 4: Take Out the Old Switch

Unscrew the screws securing the old switch to the electrical box and gently pull out the switch.

#### Step 5: Disconnect the Wires

Carefully disconnect the wires from the old switch.

- If the wires are wrapped around the screws, loosen the screws to free the wires.
- If the wires are inserted into holes on the back of the switch, you may need to use your wire stripper to cut and strip the wires.

#### Step 6: Connect the Wires to the New Switch

Attach the wires to the new dimmer switch.

- If there are screws, wrap the wires around them and tighten the screws.
- If there are holes, insert the stripped ends of the wires into the holes.

#### Step 7: Secure the New Switch

Carefully tuck the wires back into the electrical box and secure the new switch to the box with the provided screws.

#### Step 8: Attach the New Cover Plate


Place the new cover plate over the switch and secure it with the screws.



SKU: C-VTG-VB-1-D




### **Details**







### **Details**



10.2"(26cm)

0

 $\ominus$ 

 $\ominus$ 

# The Brass Dimmer Switch (1 to 5 Gang) SKU: C-VTG-VB-1-D



**Details** 

